

# SCHAC and Directories

tf-emc<sup>2</sup>

Victoriano Giralt

Central Computing Facility  
University of Málaga

Marseille

February 4th, 2008



# Outline

- 1 Collaborations
  - EUNIS
  - AAF



# Outline

- 1 Collaborations
  - EUNIS
  - AAF
- 2 SCHAC
  - An RFC for SCHAC URN namespace
  - Experimental attributes
  - Fine grained affiliations
  - SCHAC Marketing



# Outline

- 1 Collaborations
  - EUNIS
  - AAF
- 2 SCHAC
  - An RFC for SCHAC URN namespace
  - Experimental attributes
  - Fine grained affiliations
  - SCHAC Marketing
- 3 URN registry status



# Collaboration with EUNIS

moving student data for Bologna

Moveonnet<sup>1</sup> is organising a series of workshops  
on student data for EUNIS



# Collaboration with EUNIS

moving student data for Bologna

Moveonnet<sup>1</sup> is organising a series of workshops  
on student data for EUNIS

- First meeting, Rome, November 9th, 2007

<sup>1</sup><http://www.moveonnet.eu/>

# Collaboration with EUNIS

moving student data for Bologna

Moveonnet<sup>1</sup> is organising a series of workshops on student data for EUNIS

- First meeting, Rome, November 9th, 2007
- EUNIS request tf-emc<sup>2</sup> participation for schema development

<sup>1</sup><http://www.moveonnet.eu/>



# Collaboration with EUNIS

moving student data for Bologna

Moveonnet<sup>1</sup> is organising a series of workshops on student data for EUNIS

- First meeting, Rome, November 9th, 2007
- EUNIS request tf-emc<sup>2</sup> participation for schema development
- Berlin, January 24th 2008, for International Relationships Directors

<sup>1</sup><http://www.moveonnet.eu/>



# Collaboration with EUNIS

moving student data for Bologna

Moveonnet<sup>1</sup> is organising a series of workshops on student data for EUNIS

- First meeting, Rome, November 9th, 2007
- EUNIS request tf-emc<sup>2</sup> participation for schema development
- Berlin, January 24th 2008, for International Relationships Directors
- Next meeting, Dublin, March 2008

<sup>1</sup><http://www.moveonnet.eu/>



# auEduPerson

almost ready for prime time

The auEduPerson working group has produced  
an attribute recommendations document



# auEduPerson

almost ready for prime time

The auEduPerson working group has produced an attribute recommendations document

- tf-emc<sup>2</sup> has participated in the group



# auEduPerson

almost ready for prime time

The auEduPerson working group has produced an attribute recommendations document

- tf-emc<sup>2</sup> has participated in the group
- some SCHAC attributes are included



# auEduPerson

almost ready for prime time

The auEduPerson working group has produced an attribute recommendations document

- tf-emc<sup>2</sup> has participated in the group
- some SCHAC attributes are included
- document finalised past Friday



# auEduPerson

almost ready for prime time

The auEduPerson working group has produced an attribute recommendations document

- tf-emc<sup>2</sup> has participated in the group
- some SCHAC attributes are included
- document finalised past Friday
- will be sent for approval next month



# auEduPerson

almost ready for prime time

The auEduPerson working group has produced an attribute recommendations document

- tf-emc<sup>2</sup> has participated in the group
- some SCHAC attributes are included
- document finalised past Friday
- will be sent for approval next month
- the discussions have opened interesting possibilities



# An RFC for SCHAC URNs

urn:schac:

A draft RFC for registering a urn:schac prefix



# An RFC for SCHAC URNs

urn:schac:

A draft RFC for registering a urn:schac prefix

- The prefix currently in use is rather long



# An RFC for SCHAC URNs

urn:schac:

A draft RFC for registering a urn:schac prefix

- The prefix currently in use is rather long
- Non European SCHAC users demanded more freedom



# An RFC for SCHAC URNs

urn:schac:

A draft RFC for registering a urn:schac prefix

- The prefix currently in use is rather long
- Non European SCHAC users demanded more freedom
- A neutral prefix is better for adoption



# An RFC for SCHAC URNs

urn:schac:

A draft RFC for registering a urn:schac prefix

- The prefix currently in use is rather long
- Non European SCHAC users demanded more freedom
- A neutral prefix is better for adoption
- The draft will be circulated through the SCHAC list next week



# An RFC for SCHAC URNs

urn:schac:

A draft RFC for registering a urn:schac prefix

- The prefix currently in use is rather long
- Non European SCHAC users demanded more freedom
- A neutral prefix is better for adoption
- The draft will be circulated through the SCHAC list next week
- We'd like to send the RFC for approval at the end of February



# An RFC for SCHAC URNs

urn:schac:

A draft RFC for registering a urn:schac prefix

- The prefix currently in use is rather long
- Non European SCHAC users demanded more freedom
- A neutral prefix is better for adoption
- The draft will be circulated through the SCHAC list next week
- We'd like to send the RFC for approval at the end of February
- It's being produced in two continents



# An RFC for SCHAC URNs

urn:schac:

A draft RFC for registering a urn:schac prefix

- The prefix currently in use is rather long
- Non European SCHAC users demanded more freedom
- A neutral prefix is better for adoption
- The draft will be circulated through the SCHAC list next week
- We'd like to send the RFC for approval at the end of February
- It's being produced in two continents
- we need some help with DDDS rules



# SCHAC experimental attributes

safety for developers

The experimental branch is a sand box for developing and testing new attributes



# SCHAC experimental attributes

safety for developers

The experimental branch is a sand box for developing and testing new attributes, but it needs some rules



# SCHAC experimental attributes

safety for developers

The experimental branch is a sand box for developing and testing new attributes, but it needs some rules

- The OIDs will hang off 1.3.6.1.4.1.25178.1.3
  - .1 for experimental objectClasses
  - .2 for experimental attributeTypes



# SCHAC experimental attributes

safety for developers

The experimental branch is a sand box for developing and testing new attributes, but it needs some rules

- The OIDs will hang off 1.3.6.1.4.1.25178.1.3
  - .1 for experimental objectClasses
  - .2 for experimental attributeTypes
- Consensus process for moving to the official branch



# SCHAC experimental attributes

safety for developers

The experimental branch is a sand box for developing and testing new attributes, but it needs some rules

- The OIDs will hang off 1.3.6.1.4.1.25178.1.3
  - .1 for experimental objectClasses
  - .2 for experimental attributeTypes
- Consensus process for moving to the official branch
- OIDs not guaranteed when moved into official banch



# SCHAC experimental attributes

safety for developers

The experimental branch is a sand box for developing and testing new attributes, but it needs some rules

- The OIDs will hang off 1.3.6.1.4.1.25178.1.3
  - .1 for experimental objectClasses
  - .2 for experimental attributeTypes
- Consensus process for moving to the official branch
- OIDs not guaranteed when moved into official banch
- Coexistence timeframe



# SCHAC experimental attributes

safety for developers

The experimental branch is a sand box for developing and testing new attributes, but it needs some rules

- The OIDs will hang off 1.3.6.1.4.1.25178.1.3
  - .1 for experimental objectClasses
  - .2 for experimental attributeTypes
- Consensus process for moving to the official branch
- OIDs not guaranteed when moved into official banch
- Coexistence timeframe
- OIDs will NOT be reused



# Fine grained affiliations

a relationship strength attribute

Some driving needs for a *level of relationship* attribute



# Fine grained affiliations

a relationship strength attribute

Some driving needs for a *level of relationship* attribute

- Expression of previous relationship



# Fine grained affiliations

a relationship strength attribute

Some driving needs for a *level of relationship* attribute

- Expression of previous relationship
- Diverse types of students



# Fine grained affiliations

a relationship strength attribute

Some driving needs for a *level of relationship* attribute

- Expression of previous relationship
- Diverse types of students
- Different types of faculty



# Fine grained affiliations

a relationship strength attribute

Some driving needs for a *level of relationship* attribute

- Expression of previous relationship
- Diverse types of students
- Different types of faculty
- Research staff vs administration staff



# Fine grained affiliations

a relationship strength attribute

Some driving needs for a *level of relationship* attribute

- Expression of previous relationship
- Diverse types of students
- Different types of faculty
- Research staff vs administration staff
- Level of *binding* to the institution



# Fine grained affiliations

a relationship strength attribute

Some driving needs for a *level of relationship* attribute

- Expression of previous relationship
- Diverse types of students
- Different types of faculty
- Research staff vs administration staff
- Level of *binding* to the institution
- Levels of assurance



# Fine grained affiliations

a relationship strength attribute

Some proposals



# Fine grained affiliations

a relationship strength attribute

## Some proposals

- A name



# Fine grained affiliations

a relationship strength attribute

## Some proposals

- A name
  - schacInstitutionalRelationship



# Fine grained affiliations

a relationship strength attribute

## Some proposals

- A name
  - schacInstitutionalRelationship
  - schacInstitutionalRole



# Fine grained affiliations

a relationship strength attribute

## Some proposals

- A name
  - schacInstitutionalRelationship
  - schacInstitutionalRole
- Using ontologies for defining the values ©Roland



# Fine grained affiliations

a relationship strength attribute

## Some proposals

- A name
  - schacInstitutionalRelationship
  - schacInstitutionalRole
- Using ontologies for defining the values ©Roland
- URNs for expressing the values



# schacUserPrivateAttribute in eChallenges

a look outside the academic arena

Going to eChallenges conference to present  
the work on schacUserPrivateAttribute has been productive



# schacUserPrivateAttribute in eChallenges

a look outside the academic arena

Going to eChallenges conference to present  
the work on schacUserPrivateAttribute has been productive

- The idea received a warm welcome from the audience



# schacUserPrivateAttribute in eChallenges

a look outside the academic arena

Going to eChallenges conference to present  
the work on schacUserPrivateAttribute has been productive

- The idea received a warm welcome from the audience
- I detected a couple of interesting works



# schacUserPrivateAttribute in eChallenges

a look outside the academic arena

Going to eChallenges conference to present  
the work on schacUserPrivateAttribute has been productive

- The idea received a warm welcome from the audience
- I detected a couple of interesting works
  - European Privacy Seal ([www.european-privacy-seal.de](http://www.european-privacy-seal.de))



# schacUserPrivateAttribute in eChallenges

a look outside the academic arena

Going to eChallenges conference to present  
the work on schacUserPrivateAttribute has been productive

- The idea received a warm welcome from the audience
- I detected a couple of interesting works
  - European Privacy Seal ([www.european-privacy-seal.de](http://www.european-privacy-seal.de))
  - A privacy management extension for Firefox  
and other privacy enhancing technologies from  
<https://www.datenschutzzentrum.de/>



# schacUserPrivateAttribute in eChallenges

a look outside the academic arena

Going to eChallenges conference to present  
the work on schacUserPrivateAttribute has been productive

- The idea received a warm welcome from the audience
- I detected a couple of interesting works
  - European Privacy Seal ([www.european-privacy-seal.de](http://www.european-privacy-seal.de))
  - A privacy management extension for Firefox and other privacy enhancing technologies from <https://www.datenschutzzentrum.de/>
- Opportunities for using federation technologies in e-democracy



# URNreg

now in production

eduGAIN uses URNreg for the values in the certificates.



# URNreg

now in production

eduGAIN uses URNreg for the values in the certificates.  
Some steps needed for progress



# URNreg

now in production

eduGAIN uses URNreg for the values in the certificates.  
Some steps needed for progress

- Create an arc for URNreg attributes: 1.3.6.1.4.1.25178.2?



# URNreg

now in production

eduGAIN uses URNreg for the values in the certificates.  
Some steps needed for progress

- Create an arc for URNreg attributes: 1.3.6.1.4.1.25178.2?
- Install the root registry at terena.org



# URNreg

now in production

eduGAIN uses URNreg for the values in the certificates.  
Some steps needed for progress

- Create an arc for URNreg attributes: 1.3.6.1.4.1.25178.2?
- Install the root registry at terena.org
- Document the attributes the SCHAC way



# URNreg

now in production

eduGAIN uses URNreg for the values in the certificates.  
Some steps needed for progress

- Create an arc for URNreg attributes: 1.3.6.1.4.1.25178.2?
- Install the root registry at terena.org
- Document the attributes the SCHAC way
- Finish a delegation policy document



# Summary

- we are extending our reach



# Summary

- we are extending our reach
- new work for SCHAC



# Summary

- we are extending our reach
- new work for SCHAC
- URN registry has gone into production

